

ADDENDUM | No. 3

PROJECT	Harrison St and Mork St Extension		
BID DATE	2:00 PM	Local time	March 15, 2022
BID LOCATION	Office of the City Administrator/Clerk, City of Lake Benton 106 S. Center Street Lake Benton, MN 56149		
ISSUE DATE	March 14, 2022		
NOTICE	Failure to acknowledge all addenda in the BID may cause rejection of the BID. See Instructions to Bidders.		

SCOPE OF THIS ADDENDUM

The following becomes a part of the original project manual and drawings, taking precedence over the items that may conflict. The bidder shall note receipt and make acknowledgment of the Addendum on his/her bid form, incorporating its provision in his/her bid.

PROJECT MANUAL

The following additions, changes and clarifications have been made to the Project Manual.

Section 32 1132-AGGREGATE BASE COURSES

PART-2

2.1 MATERIALS

Add:

- C. Geotextile Fabric: The product shall be a high modulus woven fabric conforming to MnDOT Specification 3733.1 Type 5 similar to Mirafi HP465 or HP370 or equal.
- D. Geosynthetic Geogrid: The product shall be a punched polypropylene sheet oriented in three substantially equilaterals directions. Acceptable products are the TriAx TX-5 by the Tensar Corporation or equal.

NOTE

The Plan Holders List and Addendums are available on our website at <http://www.bannerassociates.com> by clicking on **View Bid Information / Project Name / Project Information** link.



Project Manual and Drawing inquiries regarding the work should be directed to:

CONTACT PERSON(S)

Banner Associates, Inc.	Tel 1-605-692-6342 Toll Free 1-855-323-6342 Fax 1-605-692-5714	
Scot Leddy	Project Manager	scotl@bannerassociates.com

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Print Name: Scot D. Leddy, PE

A handwritten signature in blue ink, reading "Scot D. Leddy", written over a horizontal line.

Signature

Date: 3/14/2022

License # 26814